

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	191	geometric with trench	US-PGPUB; USPAT	OR	ON	2005/01/18 11:43
L2	4075984	@ad<"20030627"	US-PGPUB; USPAT	OR	ON	2005/01/18 11:43
L3	178	1 and 2	US-PGPUB; USPAT	OR	ON	2005/01/18 11:43
L4	88240	"438"/\$7.ccls.	US-PGPUB; USPAT	OR	ON	2005/01/18 11:44
L5	74	3 and 4	US-PGPUB; USPAT	OR	ON	2005/01/18 12:26
L6	104	3 not 5	US-PGPUB; USPAT	OR	ON	2005/01/18 12:26

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	15166	(multiple or many or "more than one" or dual or triple) with (mask or masks)	US-PGPUB; USPAT	OR	ON	2005/01/18 12:45
L2	2925	((multiple or many or "more than one" or dual or triple) with (mask or masks)) with ((multiple or many or dual or triple or "more than one") with (opening or trench or aperture or groove or hole or via or gap or housing or recess or window or cavity or container))	US-PGPUB; USPAT	OR	ON	2005/01/18 13:42
L3	4075984	@ad<"20030627"	US-PGPUB; USPAT	OR	ON	2005/01/18 12:48
L4	2730	2 and 3	US-PGPUB; USPAT	OR	ON	2005/01/18 12:48
L5	137451	geometric or doughnut	US-PGPUB; USPAT	OR	ON	2005/01/18 12:49
L6	175	4 and 5	US-PGPUB; USPAT	OR	ON	2005/01/18 12:49
L7	88240	"438"/\$7.ccls.	US-PGPUB; USPAT	OR	ON	2005/01/18 12:49
L8	9	6 and 7	US-PGPUB; USPAT	OR	ON	2005/01/18 12:54
L9	166	6 not 8	US-PGPUB; USPAT	OR	ON	2005/01/18 12:54
L10	452846	semiconductor	US-PGPUB; USPAT	OR	ON	2005/01/18 12:54
L11	69	9 and 10	US-PGPUB; USPAT	OR	ON	2005/01/18 13:41
L12	6312	((438/242) or (438/243) or (438/244) or (438/386) or (438/387) or (438/396) or (438/700) or (438/702) or (438/756) or (438/757) or (438/787) or (438/791) or (438/942)).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/01/18 13:41
L13	2933	((multiple or many or "more than one" or dual or triple or diverse or various) with (mask or masks)) with ((multiple or many or dual or triple or "more than one" or various or diverse) with (opening or trench or aperture or groove or hole or via or gap or housing or recess or window or cavity or container))	US-PGPUB; USPAT	OR	ON	2005/01/18 13:42
L14	116	12 and 13	US-PGPUB; USPAT	OR	ON	2005/01/18 13:43

L15	111	3 and 14	US-PGPUB; USPAT	OR	ON	2005/01/18 14:10
L16	75	(capacitor or capacitors) with (trench or opening or hole or via or recess or groove or aperture or gap or container or housing or cavity or window) with (geometric or doughnut)	US-PGPUB; USPAT	OR	ON	2005/01/18 14:13
L17	70	3 and 16	US-PGPUB; USPAT	OR	ON	2005/01/18 14:13

The screenshot displays the ISI/BISS software interface. On the left, a sidebar lists various record categories: Drafts, Pending, Active, Failed, Saved, Favorites, Tagged (0), UDC, Queue, and Trash. The 'Active' category is selected, showing a list of six records (L1-L6). Record L6, '(104) 3 not 5', is highlighted. On the right, a detailed view of record L6 is shown, including a 'Search' button, a 'List' button, and a 'Browse' button. Below these buttons, the text 'Default: Highlight all hit terms initially' is visible. The main display area shows the record details for L6, including the title '3 not 5'. At the bottom, a table with columns 'U', 'I', 'Document I', 'Issue Dat', 'Page', 'Title', 'Current OR', 'Current XR', 'Retrieval', and 'Inventor' is visible. The table contains one row of data. The status bar at the bottom indicates 'Ready' and 'NUM'.

